

Security Self - Assessment Form

Membership Number (For office use only)	
Site Proprietor	
Name of Site	
Site Address	
Correspondence Address	
Phone Number	
Mobile Number	
Email Address:	
Website:	
Facebook/Twitter/Google+ Details:	

IMPORTANT – Please complete the form to the best of your knowledge.

All accreditations are awarded using a point structured criteria, this can be discussed with the site surveyor directly and the time of your survey. In order for you to be considered for a CaSSOA accreditation all sites **must** have perimeter fencing encompassing the entire storage area and the entrance/exit are protected by lockable gates as a minimum level of security.

All sites **must** conform to the Regulatory Reform (Fire Safety) Order 2005. A fire risk assessment must have been carried out by a responsible person.

Please note we are unable to provide you with the definitive criteria for each individual accreditation status as each site is assessed on its own merits following a full site survey by our risk surveyor.



Section A – Outside Storage Perimeter Protection	Your Comments
Palisade or Welded Mesh Fencing	
Mound & Ditch & Electronic Beam Alarm	
Mound & Ditch only	
Chainmesh or Post & Rail Fence	
Section B – Inside Storage Security Features	Your Comments
Single exit / entry door	
Internal barrier across doorway	
Internal Anti – Ram bollard(s)	
Building Alarmed	
Section C - Access Control	Your Comments
Automated Gate with Access Control System	
Manual Gate System	
Restricted Access	
Section D – Intruder Alarm System	Your Comments
Police Response Alarm with Police allocated (URN) *	
Full site coverage	
Partial site coverage (Please provide full details)	



Section E – CCTV	Your Comments
Remote Monitored System with Police allocated Unique Reference Number (URN)*	
Full Site Coverage	
Partial Site Coverage (Please provide full details)	
Data Protection Act Compliant**	
Section F - Security Lighting	Your Comments
Full Site Coverage	
Partial Site Coverage (Please provide details)	
Section G - Fire Protection	Your Comments
Fire Risk Assessment Carried Out in accordance with the Regulatory Reform (Fire Safety) Order 2005.	
Maintenance/Contract for Fire Fighting Equipment	
Section H – Vermin Control	Your Comments
Vermin Control regime in place	
Section I – Guard Dogs	Your Comments
Handler present at all times as per requirements of Guard Dogs Act	
Appropriate Guard Dog Legal Warning Signs	



Section J – Proprietor/ Warden on Site	Your Comments
Proprietor/Warden lives on site	
Contract Security Patrols***	

Section K – Site Administration	Your Comments
System in place to record Full	
details of each client and caravan.	
(attach copy)	
Storage Contract in use (attach copy)	

Section L - On Site Services	Your Comments	
On Site Service Workshop approved by NCC (National Caravan Council)		
Visiting Service Engineer		
Car Wash Facility		
Car Valet Facility		



Location (if possible please enclose photographs of the site to include the exit/entry gate)	Urban: Y/N	Rural: Y/N		
Site Capacity	Inside:	Outside:		
Parking Surface	Tarmac: Y/N	Gravel: Y/N	Concrete: Y/N	Grass: Y/N
Method of Payment	Cash: Y/N	Cheque: Y/N	Credit Card: Y/N	Direct Debt: Y/N

^{*} URN - Unique Reference Number which is issued by the Police in the area where the site is located.

Please return the completed document to enquiries@cassoa.co.uk or the postal address detailed above.

Signed	 	
Dated		

^{**}If a CCTV system has a zoom facility it may have to be registered with the Information Commissioners Office as per The Data Protection Act.

^{***} Contracted Security Patrol – A contracted Security Patrol company should be registered with the Security Industry Authority. In assessment evaluation any such contracted service that is not registered will not attract any points.